

FAG SNV190-F-L + 20318K + H318 + TSV518参数

|    |       |             |    |         |
|----|-------|-------------|----|---------|
| 尺寸 | $g_3$ | 15          | mm | -       |
|    | $g_L$ | 170.3       | mm | -       |
|    | b     | 110         | mm | -       |
|    | c     | 40          | mm | -       |
|    | D     | 190         | mm | -       |
|    | $d_1$ | 80          | mm | -       |
|    | a     | 380         | mm | -       |
|    | $h_1$ | 229         | mm | -       |
|    | g     | 155         | mm | -       |
|    | h     | 112         | mm | -       |
|    | m     | 320         | mm | -       |
|    | s     | M24         |    | -       |
|    | s     | 22.225      | mm | -       |
|    | u     | 26          | mm | -       |
|    | v     | 32          | mm | -       |
| 重量 | $m_1$ | 22000       | g  | 质量，轴承座  |
| 说明 |       | 20318K      |    | 型号，轴承   |
|    |       | H318        |    | 质量，紧定套  |
|    |       | FRM190/15.5 |    | 型号，定位圈  |
|    |       | TSV518      |    | 型号，迷宫密封 |
|    |       | DKV160      |    | 型号，端盖   |
|    |       | SNV190-F-L  |    | 型号，轴承座  |

FAG SNV190-F-L + 20318K + H318 + TSV518图片





