



## FAG BND2244-H-W-T-AL-S参数

|    |                |           |    |         |
|----|----------------|-----------|----|---------|
| 尺寸 | d <sub>1</sub> | 200       | mm | —       |
|    | a              | 890       | mm | —       |
|    | h <sub>1</sub> | 550       | mm | —       |
|    | g <sub>1</sub> | 264       | mm | —       |
|    | b              | 250       | mm | —       |
|    | c              | 80        | mm | —       |
|    | D              | 400       | mm | —       |
|    | g              | 140       | mm | —       |
|    | g <sub>4</sub> | 112       | mm | —       |
|    | h              | 270       | mm | —       |
|    | k              | 4         | mm | —       |
|    | m              | 720       | mm | —       |
|    | s              | M36       |    | —       |
| 说明 | s <sub>2</sub> | M20       |    | —       |
| 尺寸 | t              | 455       | mm | —       |
|    | u              | 42        | mm | —       |
|    | v              | 52        | mm | —       |
| 说明 | s <sub>2</sub> | 8         |    | 数量      |
|    |                | 22244K    |    | 型号, 轴承  |
| 其他 |                | H3144X-HG |    | 质量, 紧定套 |
| 重量 | m <sub>1</sub> | 290000    | g  | 质量, 轴承座 |
| 说明 |                | BND2244   |    | 型号, 轴承座 |
| 尺寸 | n              | 140       | mm | —       |

## FAG BND2244-H-W-T-AL-S图片



参考资料:<http://www.sozhou.com/p/95478a3e.html>

