

FAG SNV160-F-L + 2218K + H318X303 + TSV518X303参数

|    |                |             |    |          |
|----|----------------|-------------|----|----------|
| 尺寸 | d <sub>1</sub> | 80.9625     | mm | -        |
|    | a              | 345         | mm | -        |
|    | h <sub>1</sub> | 201         | mm | -        |
|    | g              | 145         | mm | -        |
|    | b              | 100         | mm | -        |
|    | c              | 35          | mm | -        |
|    | D              | 160         | mm | -        |
|    | v              | 27          | mm | -        |
| 重量 | m <sub>1</sub> | 12800       | g  | 质量, 轴承座  |
| 说明 |                | 2218K       |    | 型号, 轴承   |
|    |                | H318X303    |    | 质量, 紧定套  |
|    |                | FRM160/12.5 |    | 型号, 定位圈  |
|    |                | TSV518.303  |    | 型号, 迷宫密封 |
|    |                | DKV160      |    | 型号, 端盖   |
|    |                | SNV160-F-L  |    | 型号, 轴承座  |
| 尺寸 | u              | 22          | mm | -        |
|    | g <sub>3</sub> | 15          | mm | -        |
|    | g <sub>L</sub> | 160.3       | mm | -        |
|    | h              | 100         | mm | -        |
|    | m              | 290         | mm | -        |
|    | s              | M20         |    | -        |
|    | s              | 19.05       | mm | -        |

FAG SNV160-F-L + 2218K + H318X303 + TSV518X303图片





